




 <p>CO</p>	<p><b>Existing</b></p> <p>33 Bayantel Lines</p> <ul style="list-style-type: none"> <li>• 30 common</li> <li>• 3 IDD</li> </ul> <p>4 PLDT Lines</p>	<p><b>Proposed</b></p> <p>30 PLDT New Trunk Lines 66 PaBX Local Lines</p> <p>21 Bayantel Lines (3 IDD) 4 PLDT Lines</p> <p>All offices in the current directory of CO will be provided by 1 local line. All 66 lines can call outside but only 30 simultaneous outside calls.</p> <p>12 Bayantel Lines will be removed. (next page for details)</p>
 <p>SG Modules</p>	<p>7 Bayantel Lines 6 PLDT Lines</p>	<p>2 Bayantel Lines 3 PLDT Lines 13 Local Lines</p> <p>NCRPRSD and WBCC will stay.</p> <p>ETSD, NLPRSD, Synoptic will stay.</p> <p>All SG offices will be provided by 1 local line that can access outside through the trunk lines</p>
 <p>GH1</p>	<p>1 Local Line</p>	<p>1 Local Line</p>
 <p>GH2</p>	<p>None</p>	<p>1 Local Line</p>
 <p>WFFC + other Bldgs</p>		<p>Transfer and re-configuration of the old Central Office PaBx. No new trunk lines will be connected</p>



**CENTRAL OFFICE and SCIENCE GARDEN MODULES**

30 New Trunk Lines

New PaBx

66 or more Local Lines readily configured

Up to 120 Local Lines can be accommodated in the future depending on trunk line traffic

F.O.

**WFFC BLDG. , NDRB BLDG and OTHER DIC MODULES**

Old PaBx transferred from CO

Local Lines to be configured (No. of lines to be determined later)

